

Original Publications/ Haataja 2008-2018

Leinonen E, Gissler M, **Haataja L**, Rahkonen P, Andersson S, Metsäranta M, Rahkonen L. Low Apgar scores at both one and five minutes are associated with long-term neurological morbidity. *Acta Paediatr.* 2018 Jan 23. doi: 10.1111/apa.14234.

Böling S, Varho T, **Haataja L**. Longitudinal study showed that the quality of life of Finnish adolescents with cerebral palsy continued to be relatively good. *Acta Paediatr.* 2018 Mar;107(3):469-76.

Korpela S, Nyman A, Munck P, Ahtola A, Matomäki J, Korhonen T, Parkkola R, **Haataja L**; PIPARI Study Group. Working memory in very-low-birthweight children at the age of 11 years. *Child Neuropsychol.* 2018 Apr;24(3):338-53.

Stolt S, Savini S, Guarini A, Caselli M, Matomäki J, Lapinleimu H, **Haataja L**, Lehtonen L, Alessandroni R, Faldella G, Sansavini A. Does the native language influence lexical composition in very preterm children at the age of two years? A cross-linguistic comparison study of Italian and Finnish children. *First Language* 2017;37(4):368-90.

Saunavaara V, Kallankari H, Parkkola R, **Haataja L**, Olsén P, Hallman M, Kaukola T. Very preterm children with fetal growth restriction demonstrated altered white matter maturation at nine years of age. *Acta Paediatr.* 2017 Oct;106(10):1600-07.

Nyman A, Korhonen T, Munck P, Parkkola R, Lehtonen L, **Haataja L**. Factors affecting the cognitive profile of 11-year-old children born very preterm. *Pediatr Res.* 2017;82(2):324-32.

Mäenpää H, Autti-Rämö I, Varho T, Forsten W, **Haataja L**. Multiprofessional evaluation in clinical practice: establishing a core set of outcome measures for children with cerebral palsy. *Dev Med Child Neurol.* 2017;59(3):322-28.

Setänen S, Lehtonen L, Parkkola R, Matomäki J, Haataja L. The motor profile of preterm infants at 11 y of age. *Pediatr Res.* 2016 Sep;80(3):389-94.

Setänen S, Lehtonen L, Parkkola R, Aho K, **Haataja L**; PIPARI Study Group. Prediction of neuromotor outcome in infants born preterm at 11 years of age using volumetric neonatal magnetic resonance imaging and neurological examinations. *Dev Med Child Neurol.* 2016 Jul;58(7):721-7.

Ylijoki M, Lehtonen L, Lind A, Ekholm E, Lapinleimu H, Kujari H, **Haataja L**; PIPARI Study Group. Chorioamnionitis and Five-Year Neurodevelopmental Outcome in Preterm Infants. *Neonatology.* 2016 Jun 29;110(4):286-295.

Böling S, Varho T, Kiviranta T, **Haataja L**. Quality of life of Finnish children with cerebral palsy. *Disabil Rehabil.* 2016 Apr;38(7):683-8.

Arvio M, Salokivi T, Tiitinen A, **Haataja L**. Mortality in individuals with intellectual disabilities in Finland. *Brain Behav.* 2016 Jan 24:e00431.

Huhtala M, Korja R, Rautava L, Lehtonen L, **Haataja L**, Lapinleimu H, Rautava P; PIPARI Study Group. Health-related quality of life in very low birth weight children at nearly eight years of age. *Acta Paediatr.* 2016 Jan; 105(1):53-9.

Kallankari H, Huusko JM, Kaukola T, Ojaniemi M, Mahlman M, Marttila R, Kingsmore SF, **Haataja L**, Lavoie PM, Synnes A, Hallman M. Cerebral Palsy and Polymorphism of the Chemokine CCL 18 in Very Preterm Children. *Neonatology.* 2015; 108(2): 124-9.

Tertti K, Eskola E, Rönnemaa T, **Haataja L**. Neurodevelopment of Two-Year-Old Children Exposed to Metformin and Insulin in Gestational Diabetes Mellitus. *J Dev Behav Pediatr.* 2015 Nov-Dec; 36(9):752-7.

Neurological examination combined with brain MRI or cranial US improves prediction of neurological outcome in preterm infants. *Early Hum Dev.* 2014 Dec;90(12):851-6.

Setänen S, Lahti K, Lehtonen L, Parkkola R, Maunu J, Saarinen K, **Haataja L**.

Stolt S, Matomaki J, Lind A, Lapinleimu H, **Haataja L**, Lehtonen L. The prevalence and predictive value of weak language skills in children with very low birth weight – a longitudinal study. *Acta Paediatr.* 2014 Jun; 103(6):651-8.

Stolt S, Korja R, Matomäki J, Lapinleimu H, **Haataja L**, Lehtonen L. Early relations between language development and the quality of mother-child interaction in very-low-birth-weight children. *Early Hum Dev.* 2014 May; 90(5):219-25.

Stolt S, Mäkilä AM, Matomäki J, Lehtonen L, Lapinleimu H, **Haataja L**. The development and predictive value of gestures in very-low-birth-weight children - a longitudinal study. *Int J Speech Lang Pathol.* 2014 Apr; 16(2):121-31.

Stolt S, Matomäki J, Lind A, Lapinleimu H, **Haataja L**, Lehtonen L. The prevalence and predictive value of weak language skills in children with very low birth weight – a longitudinal study. *Acta Paediatr.* 2014 Jun; 103(6): 651-8.

Huhtala M, Korja R, Lehtonen L, **Haataja L**, Lapinleimu H, Rautava P; on behalf of the PIPARI Study Group. Associations between parental psychological well-being and socio-emotional development in 5-year-old preterm children. *Early Hum Dev.* 2014 Mar; 90(3): 119-24.

Korja R, Huhtala M, Maunu J, Rautava P, **Haataja L**, Lapinleimu H, Lehtonen L; on behalf of the PIPARI Study Group. Preterm Infant's Early Crying Associated With Child's Behavioral Problems and Parents' Stress. *Pediatrics.* 2014 Feb;133(2):e339-45.

Leppänen M, Lapinleimu H, Lind A, Matomäki J, Lehtonen L, **Haataja L**, Rautava P; PIPARI Study Group. Antenatal and postnatal growth and 5-year cognitive outcome in very preterm infants. *Pediatrics.* 2014 Jan;133(1):63-70.

Böling S, Varho T, Mäenpää H, Forsten W, Autti-Rämö I, **Haataja L**. Measuring Quality of Life of Finnish Children with Cerebral Palsy. *J Pediatr Rehabil Med.* 2013;6(3):121-7

Lepomäki V, Leppänen M, Matomäki J, Lapinleimu H, Lehtonen L, **Haataja L**, Komu M, Rautava P, Parkkola R, the PIPARI study group. Preterm infants' early growth and brain white matter maturation at term age. *Pediatr Radiol.* 2013;43(10):1357-64.

Setänen S, **Haataja L**, Parkkola R, Lind A, Lehtonen L; The PIPARI Study Group. Predictive value of neonatal brain MRI on the neurodevelopmental outcome of preterm infants by 5 years of age. *Acta Paediatr.* 2013;102(5):492-97.

Korja M, Ylijoki M, Lapinleimu H, Pohjola P, Matomäki J, Kuśmierenk H, Mahlman M, Rikalainen H, Parkkola R, Kaukola T, Lehtonen L, Hallman M and **Haataja L**. Apolipoprotein E, brain injury and neurodevelopmental outcome of children. *Genes, Brain Behav.* 2013 Apr;12(3):348-52.

Lepomäki V, Leppänen M, Matomäki J, Lapinleimu H, Lehtonen L, **Haataja L**, Komu M, Parkkola R; The PIPARI Study Group. Effect of antenatal growth on brain white matter maturation in preterm infants at term using tract-based spatial statistics. *Pediatr Radiol.* 2013 Jan;43(1):80-5.

Romeo DM, Ricci D, van Haastert IC, de Vries LS, **Haataja L**, Brogna C, Gallini F, Romagnoli C, Cowan FM, Mercuri E. Neurologic assessment tool for screening preterm infants at term age. *J Pediatr.* 2012 Dec;161(6):1166-8.

Stolt S, Lehtonen L, **Haataja L**, Lapinleimu H & the PIPARI Study Group. Development and predictive value of early vocalizations in very-low-birth-weight children – a longitudinal study. *Clin Linguist Phon.* 2012;26(5):414-27.

Ylijoki M, Ekholm E, **Haataja L**, Lehtonen L and the PIPARI study group. Is chorioamnionitis harmful for the brain of prematurely born infants?: A clinical overview. *Acta Obstet Gynecol Scand.* 2012 Apr;91(4):403-19.

Lepomäki V, Paavilainen T, Hurme S, **Haataja L**, Lapinleimu H, Lehtonen L, Komu M, Parkkola R. Effect of antenatal growth and prematurity on brain white matter: Diffusion tensor study. *Pediatr Radiol.* 2012 Jun;42(6):692-8.

Huhtala M, Korja R, Lehtonen L, **Haataja L**, Lapinleimu H, Munck P, Rautava P and the PIPARI Study Group. Parental psychological Well-Being and Behavioral Outcome of Very Low Birth Weight Infants at 3 Years. *Pediatrics.* 2012 Apr;129(4):e937-44.

Stolt S, Matomäki J, **Haataja L**, Lapinleimu H, Lehtonen L; the PIPARI study group. The emergence of grammar in very-low-birth-weight Finnish children at two years of age. *J Child Lang.* 2013 Mar;40(2):336-57.

Munck P, Niemi P, Väliaho A, Lapinleimu H, Lehtonen L, **Haataja L**, and the PIPARI Study Group. Pre-reading skills of very-low-birth-weight prematurely born Finnish children. *Child Neuropsychol.* 2012;18(1):92-103.

Munck P, Niemi P, Lapinleimu H, Lehtonen L, **Haataja L** and the PIPARI Study Group. Stability of cognitive outcome from 2 to 5 years of age in very low birth weight children. *Pediatrics*. 2012 Mar;129(3):503-8.

Huhtala M, Korja R, Lehtonen L, **Haataja L**, Lapinleimu H, Munck P, Rautava P and the PIPARI Study Group. Parental psychological well-being and cognitive development of very low birth weight infants at 2 years. *Acta Paediatr*. 2011 Dec;100(12):1555-60.

Stolt S, Lehtonen L, **Haataja L**, Lapinleimu H & the Pipari Study Group. The language used in early mother-child interaction by prematurely born very-low-birth-weight children, with a focus on the emergence of language. *Revista de Logopedia, Foniatria y Audiología*. 2011;31:115-24.

Maunu J, Lehtonen L, Lapinleimu H, Matomäki J, Munck P, Rikalainen H, Parkkola R, **Haataja L**; The PIPARI Study Group. Ventricular dilatation in relation to outcome at 2 in very preterm infants: a prospective Finnish cohort study. *Dev Med Child Neurol*. 2011 Jan;53(1):48-54.

Lind A, Lehtonen L, Munck P, Maunu J, Lapinleimu H, Parkkola R, **Haataja L** and the PIPARI Study Group. Associations between Regional Brain Volumes at Term Equivalent Age and Development at Two Years of Age in Preterm Children. *Pediatr Radiol*. 2011 Aug;41(8):953-61.

Korja R, Ahlgqvist-Björkroth S, Savonlahti E, Stolt S, **Haataja L**, Lapinleimu H, Piha J, Lehtonen L and the PIPARI Study Group. Relations between maternal attachment representations and the quality of mother-infant interaction in preterm and full-term infants. *Infant Behav Dev*. 2010;33:330-36.

Lind A, Korkman M, Lehtonen L, Lapinleimu H , Parkkola R, **Haataja L** and the PIPARI Study Group. Cognitive and Neuropsychological Outcome at Five Years of Age in Preterm Children Born in 2000's. *Dev Med Child Neurol*. 2011 Mar;53(3):256-62.

Leppänen M, Ekholm E, Palo P, Maunu J, Munck P, Parkkola R, MD, Matomäki J, Lapinleimu H, **Haataja L**, Lehtonen L, Rautava P and the PIPARI Study Group. Abnormal antenatal Doppler associated with adverse cognitive outcome in very low birth weight infants at two years of age. *Ultrasound Obstet Gynecol*. 2010 Aug;36(2):178-85.

Nyman A, Taskinen T, Grönroos M, **Haataja L**, Lähdetie J, Korhonen T. Elements of working memory as predictors of goal-setting skills in children with Attention-Deficit/ Hyperactivity Disorder. *J Learn Disabil*. 2010;43(6):553-62.

Munck P, Parkkola R, Maunu J, Lapinleimu H, **Haataja L**, Lehtonen L, and the Pipari Group. Cognitive outcome at 2 years of age in Finnish infants with very low birth weight born between 2001 and 2006. *Acta Paediatr*. 2010;99:359-66.

Lind A, **Haataja L**, Rautava L, Väliaho A, Lehtonen L, Lapinleimu H, Parkkola R, Korkman and the PIPARI Study Group. Relations between Brain Volumes, Neuropsychological Assessment and Parental Questionnaire in Prematurely Born Children. *Eur Child Adolesc Psychiatry*. 2010;19:407-17.

Lind A, Lapinleimu H, Korkman M, Lehtonen L, Parkkola R, **Haataja L** and the PIPARI Study Group: Five-year Follow-up of Prematurely Born Children with Postnatally Developing Caudothalamic Cysts. *Acta Paediatr.* 2010 Feb;99(2):304-7.

Ekblad M, Korkeila J, Parkkola R, Lapinleimu H, **Haataja L**, Lehtonen L and the PIPARI Study Group. Maternal smoking during pregnancy and regional brain volumes in preterm infants. *J Pediatr.* 2010 Feb;156(2):185-90.e1.

Korja R, Savonlahti E, **Haataja L**, Lapinleimu H, Manninen H, Piha J, Lehtonen L and the PIPARI Study Group. Attachment Representations in Mothers of Preterm Infants. *Infant Behav Dev.* 2009;32(3):305-11.

Reiman M, Parkkola R, Johansson R, Jääskeläinen S, Kujari H, Lehtonen L, **Haataja L**, Lapinleimu H and the PIPARI Study Group. Diffusion Tensor Imaging of Inferior Colliculus and Brainstem Auditory-Evoked Potentials in Preterm Infants. *Pediatr Radiol.* 2009;39:804-9.

Merisaari H, Parkkola R, Alhoniemi E, Teräs M, Lehtonen L, **Haataja L**, Lapinleimu H, Nevalainen OS. Gaussian mixture model-based segmentation of MR images taken from premature infant brains. *J Neurosci Methods.* 2009;182:110–22.

Stolt S, Klippi A, Launonen K, Munck P, Lehtonen L, Lapinleimu H, **Haataja L** and the PIPARI Study Group. The early lexical development and its predictive value to language skills at two years in very-low-birth-weight children. *J Commun Disord.* 2009;42(2):107-23.

Reiman M, Parkkola R, Lapinleimu H, Lehtonen L, **Haataja L** and the PIPARI Study Group. IL-6-174 and-572 genotypes and the volume of deep gray matter in preterm infants. *Pediatr Res.* 2009;65:90-96.

Maunu J, Parkkola R, Rikalainen H, Lehtonen L, **Haataja L** and Lapinleimu H. The Brain and Ventricles in Very Low Birth Weight Infants at Term. A comparison Between Head Circumference, Us and MRI. *Pediatrics.* 2009;123(2):617-26.

Stolt S, **Haataja L**, Lapinleimu H and Lehtonen L. Associations between lexicon and grammar at the end of the second year in Finnish children. *J Child Lang.* 2009;36:779-806.

Ricci D, Romeo DMM, **Haataja L**, van Haastert IC, Cesarini L, Maunu J, Pane M, Gallini F, Luciano R, Romagnoli C, de Vries L S, Cowan FM and Mercuri E. Neurological examination of preterm infants at term equivalent age. *Early Hum Dev.* 2008;84(11):751-61.

Stolt S, **Haataja L**, Lapinleimu H and Lehtonen L. Early lexical development of Finnish children – a longitudinal study. *First Language.* 2008;28(3):259-79.

Korkman M, Mikkola M, Ritari N, Tommiska V, Salokorpi T, **Haataja L**, Tammela O, Pääkkönen L, Olsen P and Fellman V. Neurocognitive Test profiles of ELBW five-year-old Children Differ according to Neuromotor Status. *Dev Neuropsychol.* 2008; 33(5):637-55.

Reiman M, Kujari H, Ekholm E, Lapinleimu H, Lehtonen L, **Haataja L** and the PIPARI Study Group.

Interleukin-6 Polymorphism is Associated with Chorioamnionitis and Neonatal Infections in Preterm Infants. *J Pediatr.* 2008;153:19-24.

Sillanpää M, Camfield P, Camfield C, **Haataja L**, Aromaa M, Helenius H, Rautava P and Hauser WA. Incidence of febrile seizures in Finland. *Pediatr Neurol.* 2008; 38(6):391-94.

Korja R, Savonlahti E, Ahlqvist-Björkroth S, Stolt S, **Haataja L**, Lapinleimu H, Piha J, Lehtonen L and PIPARI-Study Group. Maternal Depression is Associated with Mother-Infant Interaction in Preterm Infants. *Acta Paediatr.* 2008;97(6):724-30.

Munck P, Maunu J, Kirjavainen J, Lapinleimu H, **Haataja L**, Lehtonen L and the PIPARI Study Group. Crying behaviour in early infancy is associated with developmental outcome at two years of age in very low birth weight infants. *Acta Paediatr.* 2008; 97(3):332-36.

Reiman M, Kujari H, Maunu J, Parkkola R, Rikalainen H, Lapinleimu H, Lehtonen L, **Haataja L** and the PIPARI Study Group. Placental inflammation related to brain structure and volume in very low birth weight infants. *J Pediatr.* 2008;152(5):642-47.

Ricci D, Mercuri E, Barnett AL, Rathbone R, Cota F, **Haataja L**, Rutherford M, Dubowitz LMS and Cowan F. Cognitive outcome at early school age in term-born children with perinatally acquired middle cerebral artery territory infarction. *Stroke.* 2008;39(2):403-10.

Korja R, Maunu J, Kirjavainen J, Savonlahti E, **Haataja L**, Lapinleimu H, Manninen H, Piha J, Lehtonen L and the PIPARI Study Group. Mother-infant interaction is influenced by the amount of holding in preterm infants. *Early Hum Dev.* 2008;84(4):257-67.

Reviews and editorials in international peer-reviewed scientific journals and textbooks

Haataja L. The very question of future development of extremely preterm infants. *Acta Paediatrica* 2018 Mar 24 doi:10.1111/apa.14286

Haataja L. The challenge of predicting cerebral palsy. *Dev Med Child Neurol.* 2016 Mar; 58(3):219.

Haataja L. The challenge of predicting functional motor outcome. *Dev Med Child Neurol.* 2011 Jul;53(7):583-84.

Haataja L, Belmonti V, Cioni G. In: Kennedy C (Ed.). Neurological and neurodevelopmental assessment (pages 44-58). *Principles and Practice of Child neurology in Infancy.* Mac Keith Press (2012).

Sillanpää M, **Haataja L**, Tomson T, Johannessen SI. Carbamazepine (pages 459-74). In: Shorvon S, Perucca E and Engel J (Eds.). *Treatment of Epilepsy*, 3rd edition. Oxford: Wiley-Blackwell Publishing (2009).

Original articles and reviews in domestic peer-reviewed journals and textbooks

Kajantie E, Nyman A, **Haataja L.** Pikkukeskosen pitkäaikaisennuste kouluiästä aikaiseksi. (Adolescents and young adults born preterm: a review of long-term outcome) Suomen Lääkärilehti 2018;73(3):123-28.

Setänen S, Lehtonen L, Lapinleimu H, **Haataja L.** Mitä PIPARI-tutkimus on opettanut pikkukeskosten pitkäaikaiskehityksestä? (What have we learnt from the PIPARI study; the long-term follow-up of very low birth weight infants?) Duodecim 2018;134(2):118-25.

Haataja L. Lapsen normaali neurologinen kehitys ja tutkimus (The normal neurological development and neurological assessment) (pages 21-44). Kirjassa (In textbook): Pihko H, Haataja L, Rantala H. Lastenneurologia (Child neurology), 1.painos. Helsinki: Kustannus OY Duodecim (2014).

Leppänen M, Lapinleimu H, Lind A, Matomäki J, Lehtonen L, **Haataja L**, Rautava P, PIPARI-tutkimusryhmä. Pikkukeskosen syntymän jälkeinen kasvu on yhteydessä älylliseen kehitykseen. (Antenatal and postnatal growth and 5-year cognitive outcome in very preterm infants). Duodecim. 2014;130(7):738.

Lehtonen L, Munck P, **Haataja L.** Keskosen kehitysennuste on parantunut. (The neurodevelopmental prognosis of preterm infants has improved). Pääkirjoitus (Editorial). Suomen Lääkärilehti 2012;67(46):3363.

Mäenpää H, Varho T, Forsten W, Pihko H, **Haataja L.** Hajanaisista käytännöistä yhtenäisiin suosituksiin CP-lasten kuntoutuksessa. (The national consensus on the best practice in rehabilitation of children with CP). Suomen Lääkärilehti 2012;34:2304-10.

Vainio K, **Haataja L**, Lapinleimu H, Lehtonen L, Stolt S. Kahden vuoden iässä mitatun sanaston koon ja koostumuksen yhteys nimeämistaitoihin viiden vuoden iässä. (The association of the size of vocabulary at the age of 2 years and the naming abilities at the age of 5 years). Puhe ja kieli 2011;31:25-42.

Hartell N, Hietala M, **Haataja L.** Potilastapaus: "Miksi lapseni kävelee kuin ankka?" (Case report: Why does my child walk like a duck?). Duodecim 2008;124:1055.

Ekblad M, Maunu J, Munck P, Ekblad S, Lapinleimu H, **Haataja L**, Lehtonen L ja PIPARI-tutkimusryhmä. Keskoslatten äitien raskauden aikainen tupakointi ja alkoholin käyttö: yleisyyys ja vaikutukset kehitystasoon (The smoking and alcohol consumption of mothers of preterm infants during pregnancy: the prevalence and neurodevelopmental effects). Suomen Lääkärilehti 2008;63:1047-51.